

# Pro Asphalt Patch

## Safety Data Sheet

### SECTION 1: Product and company identification

Product name : Pro Asphalt Patch  
Use of the substance/mixture : Repair product  
Product code : PAP802  
Company : PRO-LINE INDUSTRIAL PRODUCTS  
2374 LEVY CROSSING RD  
NOLANVILLE, TX 76559 - US  
T 800-263-9436  
Emergency number : 800-263-9436

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

GHS-US classification  
Skin Irrit. 2 H315  
Carc. 1A H350  
STOT RE 2 H373

#### 2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US) :



GHS07 GHS08

Signal word (GHS US) : Danger  
Hazard statements (GHS US) :

Causes skin irritation  
May cause cancer.  
May cause damage to organs through prolonged or repeated exposure  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust.  
Wash hands, forearms and face thoroughly after handling.  
Wear protective gloves, clothes, Goggles.  
If on skin: Wash with plenty of water for at least 15 minutes..  
If exposed or concerned: Get medical advice/attention.  
Get medical advice or attention if you feel unwell.  
Specific treatment (see first aid measures on this label).  
If skin irritation occurs: Get medical advice or attention.  
Take off contaminated clothing and wash it before reuse.  
Store locked up.  
Dispose of contents and container to comply with local/regional/national/international regulations.

Precautionary statements (GHS US) :

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Petroleum Asphalt Base	(CAS-No.) 8052-42-4	< 100	Carc. 1B, H350
Fuels, Diesel, No. 2	(CAS-No.) 68476-34-6	1 - 5*	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315

# Pro Asphalt Patch

## Safety Data Sheet

			Carc. 2, H351 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304
Crystalline Silica	(CAS-No.) 14808-60-7	0.0-1.0	Carc. 1A, H350 STOT RE 1, H372

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

No additional information available

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

No additional information available

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

No additional information available

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

##### 6.1.1. For non-emergency personnel

No additional information available

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

No additional information available

#### 6.3. Methods and material for containment and cleaning up

No additional information available

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

No additional information available

#### 7.2. Conditions for safe storage, including any incompatibilities

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Petroleum Asphalt Base (8052-42-4)

Not applicable

# Pro Asphalt Patch

## Safety Data Sheet

### Fuels, Diesel, No. 2 (68476-34-6)

Not applicable

### Crystalline Silica (14808-60-7)

OSHA	OSHA PEL TWA	0.1
OSHA	Remark (OSHA)	(3) See Table Z-3.

### 8.2. Exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: No additional information available
Odour	: Tar odour
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °F
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20°C	: No data available
Solubility	: Negligible.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

### Fuels, Diesel, No. 2 (68476-34-6)

LD50 oral rat	> 7600 mg/kg
LD50 dermal rat	> 4300 mg/kg

# Pro Asphalt Patch

## Safety Data Sheet

LC50 Inhalation - Rat	4.1 mg/l
-----------------------	----------

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.

<b>Petroleum Asphalt Base (8052-42-4)</b>	
IARC group	2A - Probably carcinogenic to humans, 2B - Possibly carcinogenic to humans

<b>Crystalline Silica (14808-60-7)</b>	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

No additional information available

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT : Not regulated for transport

#### Additional information

Other information : No supplementary information available.

#### ADR

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.



**WARNING**

This product can expose you to Crystalline Silica, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).


### SECTION 16: Other information

# Pro Asphalt Patch

## Safety Data Sheet

---

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.  
NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.  
NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.